

ZIPTRAK

BLINDS

Enjoying your lifestyle no matter what the season - Ziptrak Blinds keep areas warm in winter and cool in summer.



Call us 132 899 Visit apolloblinds.com.au

ZIPTRAK

BLINDS




Pull down and push up! It's that EASY to protect yourself from the elements with Ziptrak® track guided blind system.

Specially designed tracks on both sides of the blind enable the fabric to glide smoothly and easily - stopping anywhere you want!

Ziptrak® blinds can be secured and locked in the down position to guard against high winds and UV – no zippers or buckles required, it's that simple. **For sun, wind, rain and UV protection, choose the fabric that you need:**

- hi-tech quality solar fabrics
- PVC tinted, or
- PVC clear.



Optional: An additional handle on the reverse side of the bottom bar to allow for unlocking your Ziptrak® blind from both sides.

ZIPTRAK

BLINDS



EASY-TO-USE

Ziptrak® track guided blind system locks your blind fabric into special tracks, with no gaps at either side to secure against flapping.

Its quick and easy 'pull-down, push-up' action takes out all the hard work of regular blinds and leaves you with an elegant blind that enhances the look and feel of your home or business.

VERSATILE

Whatever the style of your residence or business, Ziptrak® has a solution for you:

- Clear or tinted PVC protects outdoor areas all year round from wind and rain
- Hi-tech solar fabric provides sun and UV protection
- A large range of quality fabrics and materials that guarantee strength and wind resistance
- Manual or motorised operation • the taut, flat surface is ideal for corporate signage
- Customised Ziptrak® pelmets give added protection and a premium look.



OPTIONS

MOTORISATION FOR ZIPTRAK

RS001 SOLAR SUN & WIND SENSOR

- Solar powered for simple installation
- Programmable with 5 wind speed & 9 light intensity settings
- Usable as sun & wind sensor where wind overrides sun
- Either the sun or wind sensor can be disabled if required
- For use with all WSER series motors & Alpha remote receivers

SPECIFICATIONS

- Frequency MHz 433.92
- Screen Type LED
- Power Requirements Solar only
- Number of Channels 1



RE302 (5 CHANNEL)

- 5 channel remote + all channels function
- Elegant design, with stainless steel trim on the edges
- 433.92 MHz
- Rolling codes
- LED channel selection
- Transparent magnetic wall holder

SPECIFICATIONS

- Frequency MHz 433.92
- Screen Type LED indicator
- Number of Channels 5 + all channels



OPTIONS

MOTORISATION FOR ZIPTRAK

RE301 (SINGLE CHANNEL)

- Single channel remote
- Elegant design, with stainless steel trim on the edges
- 433.92 MHz
- Rolling codes
- Transparent magnetic wall holder

SPECIFICATIONS

- Frequency MHz 433.92
- Number of Channels 1



WSER50 10/27 UNIVERSAL - MOTOR

- ELECTRONIC LIMIT SETTING, WITH BUILTIN REMOTE CONTROL RECEIVER
- 45mm diameter
- Power Specifications - 240V / 50Hz
- Electronic limits
- Built in Remote Receiver
- Wireless limit set up
- Suitable for: Most External Drop Blinds
- This motor is fast, quiet & perfect for when you want to be able to lock in & tension the blind. Our most popular motor for all types of external drop blinds. Lifts up to 17kg (bottom bar & skin)

SPECIFICATIONS

- Nominal Consumption (W) 203
- Lifting Capacity 17Kg on 6mm tube
- Rated Torque (Nm) 10
- Output Speed (rpm) 27
- Nominal Voltage (V) 240
- Nominal Current (A) 0.84
- Running Time (Min) 4
- Protection Index (Ip) 44
- Total Length (mm) 570
- Maximum Turns infinite
- Net Weight (Kg) 2.30



CARE & CLEANING

Do not expose fabric awnings to extreme weather conditions, they are designed to create shade.

Keep the fabric clean by brushing both sides with a soft brush. Hosing on a hot day with cold water will minimise the development of algae, mildew and fungi by removing dust and grime.

Do not roll awnings away wet. However if bad weather requires this, roll them back out as soon as possible to prevent mould build up. Do not allow dirt, plant or bird droppings to remain in contact with the fabric.

Do not apply detergents, cleaning fluids or insecticides.

For stains, clean thoroughly with a non abrasive household cleaner (except for clear PVC) and rinse immediately with clean water and thoroughly dry. For clear PVC use a diluted solution of mild soap and water. Rinse with clean water and dry with a soft cloth or sponge.

Let Apollo Blinds open your mind to new decorator ideas. Since 1988 Apollo Blinds has focused on delivering the latest in home fashions with consistent reliable service. An Australian owned company with most products still being manufactured in Australia, Apollo Blinds gives you peace of mind – all fabrics and components come with a 2 year guarantee (1 year in home) on manufacture and materials*. Some materials or components may carry additional manufacturer's warranty*.

Call us **132 899** Visit **apolloblinds.com.au** Email **sales@apolloblinds.com.au**

Head Office and Factory

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Showrooms

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Melbourne 7/19-23 Clarinda Road, Oakleigh South VIC 3167

Brisbane Unit 1, 48 Kingston Road, Underwood QLD 4119

Newcastle 414 Pacific Highway, Belmont NSW 2280

Canberra Unit 1, 6 Wiluna Street, Fyshwick ACT 2609

Port Macquarie 6/185 Lake Road, Port Macquarie NSW 2444

Coffs Harbour 3/12 Isles Drive, North Boambee Valley NSW 2450

Wollongong 210 Princes Highway, Albion Park Rail NSW 2527

Ballina 1/23 Dudgeons Lane, Bangalow NSW 2479

Tamworth Shop 3, 164 Peel Street, Tamworth NSW 2340

Mobile Showrooms

Albury, Batemans Bay, Dubbo, Gold Coast, Orange, Wagga



The information and products in this brochure are correct as at 1st January 2016 but may vary after this date. Not all products may be available at all outlets. *Some conditions apply.

