### ALUMINIUM LOUVRE SHUTTER Aluminium sexterior use

Aluminium Shutters are available for interior and exterior use. Being of aluminium construction with a chip resistant powder coating, Aluminium Shutters can span wider areas than traditional Shutters, giving a superior view.



## ALUMINIUM LOUVRE SHUTTER



- 100% Australian
- Over 150 standard colours
- Weather resistant
- · Protection from strong winds & flying debris
- Light & breeze control
- Sun protection & shading
- Increased value of property
- · Glass sections, vertical or horizontal blades
- · Blades withstand loads of 100kg at 1 metre width
- Insulation Energy savings
- Significantly reduce noise
- Security Protection against burglary & vandalism
- Street appeal & aesthetic improvement
- · Variety of design options available

# ALUMINIUM LOUVRE SHUTTER

### DLi90

- The DLi 90 aluminium louvre system is extruded from aluminium alloy 6063 & tempered to T5 as per Australian Standard AS2612:1997
- Powder coating is applied to a minimum of 60 microns & complies with Australian Standard AS 3715:2002
- Anodised finishes are applied to a minimum of 15 microns & complies with Australian Standard AS 1231:2000
- 90mm elliptical louvre blade
- All assembly & fixing screws & components are manufactured from stainless steel
   316 grade

- Aluminium used is machine grade T6065T5
- All plastic components are glass reinforced
   & are protected by UV inhibitors.
- The louvre blades & unique spring clip pivot system have a 100kg load rating at a span of 1 metre
- 34mm style & rail: slimline design perfect for in reveal installation
- Glass panel option in Clear, Green or Smoke Grey 6.4 Laminated
- Maximum height 3000mm maximum width 1100mm subject to the configuration
- Available in Fixed, Bi-fold, Hinged, Sliding & Stacking configuration

# ALUMINIUM LOUVRE SHUTTER

### **FIXED**

A Fixed Panel Louvre offers the simplest form of installation & operation. C channels can be fixed permanently to the top & bottom of the application & the Fixed Panel Louvre then pivots inside the frame work. Flashing will be provided to cover gaps on the left & right of the front & back of the application. H section is also available for joining panels to create strength & stability over multiple panel installation, as well as standoff brackets which offer installation off the window to provide access for ventilation & cleaning.

**Ideal Applications** 

Window Covering, Privacy Screening, Balcony/Patio Enclosure

**Max Panel** 

Width: 1000mm - Height: 3000mm

Blade 90mm

**Blade Orientation Options** 

**Horizontal & Vertical** 

**Panel Filler Options** 

Glass & Aluminium

### ALUMINUM LOUVRE SHUTTER



### **BI FOLD**

Bi-fold Louvre shutters provide a versatile option for balcony or patio areas by offering a choice of total enclosure & protection from the elements while in a closed position, yet still maintaining the availability of clearing the opening completely by folding the panels & pushing them to one side. Utilising practical nylon pivots, the panels can concertina either in or out by running along top & bottom tracks which are fixed permanently to the top & bottom of the application.

Ideal Applications
Balcony/Patio & Enclosure, Room Dividers

**Max Panel** 

Width: 750mm - Height: 3000mm

Blade 90mm

**Blade Orientation Options** Horizontal & Vertical

**Panel Filler Options** 

Glass & Aluminium

# ALUMINIUM LOUVRE SHUTTER

### **HINGED**

Hinged Louvre shutters are a practical & aesthetically pleasing choice for both interior & exterior windows & doorways. Available to swing either inwards or outwards, Shutter Concepts Hinged Louvre's can be supplied with L or Z framing to provide a neat finish.

Ideal Applications
Interior Openings, Doorways

**Max Panel** 

Width: 900mm - Height: 3000mm

Blade 90mm

Blade Orientation Options Horizontal & Vertical

Panel Filler Options
Glass & Aluminium



### **SLIDING**

Sliding Louvre shutters are an ideal choice for sun protection & privacy on applications where space around the opening is limited. Utilising practical nylon pivots, the panels can slide left or right by running along top & bottom tracks which are fixed permanently to the top & bottom of the application.

Ideal Applications
Balcony/Patio & Enclosure, Room Dividers

**Max Panel** 

Width: 1100mm - Height: 3000mm


Blade 90mm

Blade Orientation Options Horizontal & Vertical

Panel Filler Options
Glass & Aluminium

### COMPONENTS

### **ALUMINIUM LOUVRE SHUTTERS**



SLIMLINE BOTTOM TRACK & TOP TRACK



**FLOUTING BOTTOM PIVOT** 



L & Z FRAMING WITH SNAP IN COVER



**TOP & BOTTOM C CHANNELS** 



LOCKABLE FLUSH HANDLE



**BLADE LOCKS** 



GLASS INFILL PANELS IN CLEAR, SMOKE GREY & GREEN



BLADE END CLIPS INWHITE OR BLACK



100KG LOAD RATING AT A SPAN OF 1 METRE



The care of external shutters is the same as internal shutters. However external shutters are exposed to the weather dirt and grime may build up faster. Cleaning with a soft damp cloth is usually required again with a PH neutral soap in lukewarm water.

For heavy dirt and grime you can gently hose down the shutters and wipe dry.

Let Apollo Blinds open your mind to new decorator ideas. Since 1988 Apollo Blinds has focused on delivering the latest in home fashions with consistent reliable service. An Australian owned company with most products still being manufactured in Australia, Apollo Blinds gives you peace of mind – all fabrics and components come with a 2 year guarantee (1 year in home) on manufacture and materials\*. Some materials or components may carry additional manufacturer's warranty\*.

Call us 132 899 Visit apolloblinds.com.au Email sales@apolloblinds.com.au

### **Head Office and Factory**

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

### **Showrooms**

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Melbourne 439 Warrigal Rd Moorabbin VIC 3189

Brisbane Unit 1, 48 Kingston Road, Underwood QLD 4119

Newcastle 414 Pacific Highway, Belmont NSW 2280

Canberra Unit 1, 6 Wiluna Street, Fyshwick ACT 2609

Port Macquarie 414 Pacific Hwy Belmont NSW 2280

Coffs Harbour 3/12 Isles Drive, North Boambee Valley NSW 2450

Wollongong 210 Princes Highway, Albion Park Rail NSW 2527

Tamworth Shop 3, 164 Peel Street, Tamworth NSW 2340

### **Mobile Showrooms**

Ballina, Dubbo, Gold Coast, Orange, Sunshine Coast, Wagga Wagga







The information and products in this brochure are correct as at 1st January 2016 but may vary after this date. Not all products may be available at all outlets. \*Some conditions apply.















