



SMARTWOOD SHUTTERS









PLANTATION SHUTTERS

Apollo's quality range of Plantation Shutters have been chosen from the best possible materials. The aim is to provide you with the choice of the best products available on the market that will suit your aesthetic and functional requirements. You can choose from the beauty and warmth of Western Red Cedar or Basswood.









ALUMINIUM SHUTTERS

Aluminium Shutters are available for exterior use. Being of aluminium construction with a chip resistant powder coating, Aluminium Shutters can span wider areas than traditional Shutters, giving a superior view.









APOLLOGUARD ROLLER SHUTTERS


Roller Shutters combine the smooth good looks of the Roller Shutter system with the privacy and sense of security we all need in today's world. European designed and made in Australia, Apollo's Roller Shutters are tailor made to fit your windows.

Roller Shutters make being comfortable and secure in your home easier than ever whilst helping reduce your energy costs.









PANEL GLIDES

Apollo brings fashionable elegance to the home with their range of Panel Glides. Unlike Rollers they allow flat panels of fabric to slide across the window rather than rolling up. Ideal for doors, large windows and as room dividers.

They can be co-ordinated with matching fabric for Vertical, Roller and Roman Blinds.









SMARTWOOD® VENETIANS

Apollo's Smartwood® Venetians bring the ambiance of Timber Venetians within everyone's reach. The perfect alternative to natural wood. All slats are washable and resist fading, peeling, cracking and warping. Suitable for most areas in the house including wet areas.











TIMBER VENETIANS

Add warmth and good looks to your home with Apollo's range of Timber Venetians. Available in Western Red Cedar and Basswood.











ECO ALUMINIUM VENETIANS

Our Eco Aluminium Venetians make a statement!

The bright and bold colour range add a contemporary touch to any room. Perfect for doors and large windows they are available in 4 slat sizes 16mm, 25mm, 35mm, 50mm and 6 finishes with a selection of over 175 colours and multiple control options. Eco Aluminium Venetians offer excellent light control and may be motorised for your convenience.









ALUMINIUM VENETIANS

Smooth, elegant Aluminium Venetians control the light at a touch, transforming rooms from bright and breezy to soft and subtle. The timeless style of Apollo Aluminium Venetians feature a large range of colours across 2 slat widths, Slimline (25mm) and Classic (50mm).










SUNSCREEN







FABRIC ROLLERS

With a chain control as a standard feature, these incredibly popular blinds roll with ease. Contemporary Apollo Rollers are available in a large range of colours and performance fabrics with an aluminium bottom bar, decorator trims and colour co-ordinated brackets. They can even be matched with Verticals, Romans and Panel Glides for a complete design solution.

Apollo Double Rollers let you hang two blinds individually operated on the one window — a translucent sunscreen for the day and a blockout for privacy at night.

Motorisation option is available for safety and convenience.











FABRIC VERTICALS

Versatile Verticals for the smallest window to sliding doors. Verticals combine function and fashion to great effect. They are mould and fade resistant, have an anti static dust resistant coating and a wipe clean surface. They come in 89mm and 127mm slat widths and with the option of standard weights and chains, sewn in bottom weights or chainless bottom weights.

A wand control option is also available.









SHICANE® VINYL VERTICALS

All the advantages of a Vertical Blind with even more features. Available in an 89mm wide flat profile slat. Shicane® has a wipe clean surface and no bottom weights and chains, offering superior closure and good insulation.

A wand control option is also available.









ROMAN SHADES

The classic Roman Shade at home with every decor from the traditional to the contemporary. Their soft fabric look makes Romans very appealing for creating a comfortable atmosphere. Available in light filtering, blockout and sunscreen fabrics. With the choice of a cord and cleat, cord lock or chain operation.

Motorisation option is available for safety and convenience.









CELLULAR SHADES

Cellular Shades are composed of a cellular design that maximises energy efficiency and insulation.

Manufactured with a high quality polyester fabric, there are a variety of cell sizes, textures and fabrics to choose from.

These options compliment your desired comfort and style. Cell sizes include 25mm and 38mm and are available in translucent, block out and double cell.









VIEWLINE SHADES

This innovative two-in-one blind offers you the convenience of two fabrics on one roller.

Choose from a light filtering and sheer fabric, or a dim out and sheer fabric.


Both control the light or glare through your window beautifully.

Viewline Shades include chic pelmets and colour options to match the bottom rail and control chain.









CONTOUR

Contour Shades are dual layered sheer fabric with light weight fabric vanes in between.

In the open position the vanes are 's' shaped and allows you to modify the amount of light entering the room. In the closed position the vanes are flattened, softening the glare of the sun and increasing privacy. There is an extensive range of fabrics and colours available.









AWNINGS

Keeping the sun from beating down on your windows in summer not only reduces the heat inside but also helps save you money on cooling costs and in winter, Awnings can help retain heat.

Apollo's range of durable Awnings can handle the elements and our extensive range of designer colours and patterns add a whole new dimension to your outdoor aesthetics. You can choose from canvas, acrylics, screen fabrics, PVC and colourbond steel.

With many different styles, Apollo has an Awning to suit almost every application.









AWNINGS









TRACK GUIDED SYSTEMS

Australian made, Apollo Track Guided Blinds are the most secure of all the channel systems. The awning fabric is held taut and flat in fixed vertical channels using an internal ziplock, which eliminates gaps and secures it against strong winds.

The Blinds can be operated manually or motorized, gliding smoothly within the channels, stopped wherever you want or locked in the down position.

Apollo Track Guided Blinds come in clear or tinted PVC to protect from wind and rain, and a wide range of coloured hi-tech screen fabrics for superior year round UV protection.

FOLDING ARM AWNINGS

Apollo Folding Arm Awnings are a stylish and clever way to transform large outdoor areas like courtyards and verandahs into delightful alfresco living spaces.

When you don't need the Awning, the arms glide back, sliding the fabric onto a roller, neatly out of the way. Semi cassette or full cassette models conceal the mechanism and the roller inside a stylish hood.

Our Folding Arm Awnings can be operated manually by a crank or motorized, and controlled by a remote. There's even optional sun and wind sensors that automatically extend the Awning when it's sunny and retract it when it's windy.

AWNINGS



STRAIGHT DROP AWNINGS

Versatile Straight Drop Awnings beautifully cover large outdoor areas like decks and the outside of windows, providing privacy and protection from the elements, while maintaining air-flow. The Awning is effortlessly raised and lowered by a rope and spool onto a top roller. When completely lowered it can be safely fastened at the base rail with straps.

Apollo can manufacture your Awnings in a huge range of colours and patterns.



AUTOMATIC AWNINGS

Shade the sun's glare and keep your home cooler in summer with stylish, Automatic Awnings. They are ideal for ground floor applications, narrow walkways and outdoor areas that require the Awning to be as close to a window as possible. The Awning is operated by manually guiding the standout arms along the rails, which are fitted flush to wall. When the arms are angled to 90° they automatically lock into position.

You can have your Awnings made from a wide range of coloured and patterned fabrics.





AWNING







INTERNAL TAPE WINCH

Convertible Awnings and Roller Shutters may be operated internally with the winch.

An external tape winch is also an option.



INTERNAL TAPE LOCK

For the internal operation of Convertible Awnings.



TRACK OPTION

Specially designed tracks on both sides of the awning allows the fabric to glide up and down easily.



MOTORISATION

Motorisation is available for the operation of Roller Shutters and Awnings. They can be operated by remote control or an internal wall switch.



WIRE GUIDES

Awnings traverse up and down the wire guides to restrict movement. Perfect for Straight Drop Awnings.



MOTION SENSOR

Will detect the motion of the front rail on a Folding Arm Awning in windy conditions and automatically retract the Awning.



SUN & WIND SENSOR

The sun sensor brings the Awning out when the sun hits your windows then takes it back when the sun goes down. While the wind sensor will retract the Awning if the wind is too strong.



RAIN SENSOR

Suitable for Awnings without a steep pitch. An adequate pitch is required to allow rain to run off. A rain sensor automatically retracts the Awnings, preventing water pooling and stretching the fabric.



SPRING OPERATED

- Automatic Lock Arm
- · Flexi Fit Automatic Lock Arm
- · Spring Operated Straight Drop

STRAIGHT DROP AWNINGS

- · Track Guided
- · Straight Drop Batten
- · Channel Stop
- · Straight Drop Crank operated
- · Shop Front Awning
- · Straight Drop Roller
- · Wire Guide
- · Gear Operated

FOLDING ARM AWNINGS

- Titan
- · Titan Forte
- · Titan Flex
- Millennium Cassette

PIVOT ARM AWNINGS

- · Casement Window
- · Convertible
- · Flexi Fit Pivot Arm
- Florentine
- · Gear Operated

FIXED AWNINGS

- · Fixed Café
- · Fixed Canopy
- · Colourbond Steel





HOME HUB FOR ROLLER BLINDS

Control one, multiple or all Roller Blinds within your home or business from anywhere in the world with an internet connection, using an app on your smartphone.

Suitable for new or existing Rollers using the 12v rechargeable battery or 240v mains powered tubular motors.



DOUBLE BRACKETS

These allow 2 Roller blinds to be on the one window and operated independently of each other.

A Screen Blind to let in the view in the daytime and a blockout for privacy at night. Double brackets may be operated manually or by remote control.

FABRIC VERTICALS BASE OPTIONS







Weights and chain at base



Sewn in weight at base



LINK SYSTEM

Allowing side by side Roller Blinds to be operated by one or two controls either manually or by remote control.



SHICANE VERTICALS

Shicane has no bottom weights or chains allowing superior closure.



SIDE GUIDES

Roller Blinds fit into side channels on the left and right to provide superior room darkening. They come complete with a cassette and are ideal for home theatres.



WAND

The wand is an alternate option for Verticals and standard for Panel Glides.



WIRE GUIDES

Roller Blinds traverse up and down wire guides to restrict excess movement of the blind when windows are open.



MULTIPELMET

This option is available for Roller Blinds, Verticals and Panel Glides. The fabric insert matches the material of your blind.



CASSETTES

Cassettes are the finishing touch to hide the workings of Roller Blinds.



FRS VALANCE

This valance is a cost effective alternative to cassettes to conceal the workings of your Roller Blinds.



MOTORISATION

This is available for both Roller, Roman and Eco Venetian Blinds. It can be operated by a remote control or wall switch.



CLEANLINE VENETIANS

These Venetians conceal cord holes allowing in less light when closed.



MOTORISATION & CHILD SAFETY

Loose chains and cords can tangle and be dangerous to children. Motorization puts convenience and safety at your fingertips - with just one touch you can position and align your window coverings perfectly

MOTORISATION

240 Volt Radio Technology System (RTS) Motor

Uses radio signals to interact with multiple motors, controllers and sensors. Must be installed by a qualified electrician.

Operated by a remote control.

Available for: Rollers, Aluminium Venetians, Roman Blinds, Roller Shutters, Track guided Awnings, Straight Drop Roller Awnings, Wire Guide Awnings, FlexiFit and Gear Pivot Arm Awnings and Folding Arm Awnings.

240 Volt Hard Wired Motor

Controlled remotely when part of a home automation system. Must be installed by a qualified electrician.

Operated by a hard wired switch on the wall.

Available for: Roller Blinds, Roman Blinds, Roller Shutters, Track Guided Awnings, Straight Drop Roller Awnings, Wire Guide Awnings, FlexiFit and Gear Pivot Arm Awnings and Folding Arm Awnings.

Rechargeable Lithium Battery Motor

Powered by rechargeable batteries, using a charger similar to a phone charger. Can be trickle charged by solar panels.

Does not need to be installed by a electrician.

Operated by a remote control.

Available for: Roller Blinds and Roller Shutters.

SENSORS

Apollo has a range of sensors for wind, sun, rain and motion.

REMOTE CONTROL OPTIONS:

Apollo offers three ways to control your motorized window coverings.

One Channel Remote Control - Controls just one single blind.

Multi-Channel Remote Control – Controls a number of blinds individually or in combinations, irrespective of their sizes or their individual positions.

Timer Remote Control — The timer function allows blinds to be automatically raised or lowered daily at any time, on any day of the week. Ideal for when you are away from home.

APOLLO CARES ABOUT CHILDREN'S SAFETY

Blind cords can easily become tangled like a noose around a toddler's neck and strangle them in seconds. They can also strangle a baby in a cot by a window where cords are within reach, or hang into the cot.

At Apollo we do all we can to ensure children remain safe.

We recommend products that are operated by wands or motorization instead of cords. For all blinds with looped cords the installation of a cord tensioning device is essential. Loose cords should be wrapped securely around a cleat attached high on the wall.

You can help protect your children too by making sure your existing blinds have these proper safety devices and by following some simple precautions.

Make sure your children cannot reach any blind cords, and that the bottom of any cord is at least 160cm above the floor. Move children's cots, beds, high chairs or any other funiture that children could climb on away from windows.

When installing internal window covering we always ensure that a brightly coloured warning label is attached. Ask your Apollo installer to show you the safety features on new blinds and how to make your existing blinds safer.

CARE & CLEANING OF YOUR NEW BLINDS

ROLLER BLINDS, ROMAN BLINDS AND PANEL GLIDES

Surface dust may be removed with a gentle brush, feather duster or clean dry cloth. To remove tougher stains or smudges, a mild solution of lukewarm water can be used then wipe with a clean dry cloth. An art gum rubber is excellent for removing small marks.

CELLULAR, CONTOUR AND VIEWLINE BLINDS

Spot clean blinds with a damp cloth. To clean the cells, hold the fabric and use a vacuum cleaner accessory to draw out the dust and insects.

VERTICAL BLINDS

Verticals should always be in the open position when gliding slats open. Lubricate mechanism by spraying silicone spray along the inside of the track once or twice a year.

Dust is not normally an issue for most Vertical Blinds but if your fabric does hold some dust simply dust with a gentle brush, feather duster or clean dry cloth.

To remove tougher stains or smudges, a mild solution of lukewarm water can be used then wipe with a clean dry cloth.

An art gurn rubber is excellent for removing small marks.

VENETIAN BLINDS

Close blades and dust surface using a feather duster, or soft cloth. Close blades in opposite direction and repeat process. Blinds should be dusted weekly to control build-up of dust and grime.

Do not force blades apart with hands to reach window locks or handles. The force may buckle aluminium blades or fracture timber or Smartwood*. Guarantee will be voided if blinds show evidence of misuse.

PLANTATION SHUTTERS

Keep free of dust with a soft cloth, feather duster, microfibre wand, or gently vacuum with a soft bristle brush attachment.

Use a small bristle brush to dust cracks and hard to get at places.

Spot clean with a soft damp cloth when necessary, then guickly wipe dry.

If soap and water must be used then use a small amount of PH neutral soap in lukewarm water. Regularly rotate blades.

Never allow water to remain on the Shutters, if it penetrates the surface it can cause the timber to warp, create hairline cracks or damage the finish.

Never use silicon based product, abrasive or harsh cleaning products for cleaning the Shutters.

ALUMINIUM SHUTTERS

The care of external Shutters is the same as internal Shutters. However, as external Shutters are exposed to the weather, dirt and grime may build up faster. Cleaning with a soft damp cloth is usually required again with a PH neutral soap in lukewarm water.

For heavy dirt and grime you can gently hose down the Shutters and wipe dry.

FABRIC AWNINGS

Do not expose Fabric Awnings to extreme weather conditions, they are designed to create shade. They should be rolled up in windy or stormy weather.

Keep the fabric clean by brushing both sides with a soft brush. Hosing on a hot day with cold water will minimise the development of algae, mildew and fungi by removing dust and grime.

Do not roll Awnings away wet. However if bad weather requires this, roll them back out as soon as possible to prevent mould build up. Do not allow dirt, plant or bird droppings to remain in contact with the fabric.

Do not apply detergents, cleaning fluids or insecticides.

Occasionally extend Awning fully down to even out the material, particularly if the Awnings is usually set in the one position.

For stains, clean thoroughly with a non abrasive household cleaner (except for clear PVC) and rinse immediately with clean water and thoroughly dry. For clear PVC use a diluted solution of mild soap and water. Rinse with clean water and dry with a soft cloth or sponge.



WARRANTIES

At Apollo, your satisfaction is our highest priority, so we take our warranties seriously. We have operated for over 30 years and have covered over 2 million windows. Using the best quality components and fabrics, we manufacture to the highest standards, here in Australia, and overseas in partnership with some of the world's largest, most trusted manufacturers. So it's no surprise that we proudly stand by all our products, confident that we are giving you the best possible quality.

5 YEAR WARRANTY*

Smartwood Louvre Shutters Selected Roller Shutters 240v Motors

2 YEAR WARRANTY*

Blinds
Awnings
Pelmets
All other Louvre Shutters, Roller Shutters & Motors



*Where a product under warranty is no longer available a substitute product from Apollo's current range to the same value will be offered as a replacement during the warranty period.

Product care and operating instructions must be adhered to otherwise warranty will be voided.

See apolloblinds.com.au/product-care-instructions

The warranty is against defects in components and/or faulty workmanship for the above periods from the date of installation. The warranty does not extend to damage caused by accidents, misuse or abuse of the product and does not cover depreciation through ordinary wear and tear.

All other claims will attract pick up, delivery or service charges which will need to be prepaid. Please see the full terms and conditions on the back of your order form or online.

ADDITIONAL EXTENDED WARRANTIES

Awning fabrics excluding PVC, are covered by a minimum of 5 years warranty. Roller, Panel Glide and Roman Blind fabrics are covered by up to 10 years warranty depending on the fabric.

HEAD OFFICE AND FACTORY

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

SHOWROOMS

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Melbourne 439 Warrigal Road, Moorabbin VIC 3189

Brisbane Unit 1, 48 Kingston Road, Underwood QLD 4119

Newcastle 414 Pacific Highway, Belmont NSW 2280

Canberra Unit 1, 6 Wiluna Street, Fyshwick ACT 2609

Port Macquarie 6/1 Blackbutt Road, Port Macquarie NSW 2444

Coffs Harbour 3/12 Isles Drive, North Boambee Valley NSW 2450

Wollongong 210 Princes Highway, Albion Park Rail NSW 2527

Tamworth Shop 3, 164 Peel Street, Tamworth NSW 2340

MOBIL F SHOWROOMS

Armidale, Ballina, Dubbo, Gold Coast, Orange, Sunshine Coast, Wagga Wagga

THINKING BLINDS...think Apollo

Call us 132 899 Visit apolloblinds.com.au Email sales@apolloblinds.com.au

















