

CURTAINS









CURTAINS

- Minimum width 1000mm
- Maximum width 5750mm for a track in one piece
- Minimum drop 1500mm
- Maximum drop 4200mm
- Range of neutral colour fabrics
- Track colours white, silver anodised, black
- Wand drawn control is standard
- Clear PVC Wand
- Motorisation is available
- Weighted hem or 70mm sewn hem depending on the fabric
- Heading options, S-Fold, S-Wave, Double Pinch Pleat or Triple Pinch Pleat



TRACK OPTIONS



DESIGNER



RESIDENTIAL



GLYDEASomfy's motorised
Glydea track.

CURTAIN HEADING OPTIONS



TRIPLE PLEAT



DOUBLE PLEAT



S-FOLD



S-WAVE

CURTAIN HEM OPTIONS



70MM SEWN HEM



WEIGHTED HEM

For use on polyester/cotton, polyester mixture and polyester fabrics, woven or knitted. Remove hooks, rings and trims before cleaning. Gently vacuum regularly with appropriate attachment. Warm hand wash. Do not bleach. Do not rub or wring. Drip dry in shade. For best results hang curtains by their hooks to damp dry immediately. Use warm iron.

Coated fabrics. Dry clean or wash. For use on acrylic foam backed fabrics and flock coated fabrics of both man-made and cotton. Regular care will minimise the need for additional cleaning. Gently vacuum with appropriate attachment. Always exercise caution when spot cleaning. Test clean on non-exposed surface. Avoid excessive rubbing and abrasion. Remove hooks, rings and trims before cleaning.

For use on viscose/acetate and other fabrics which may shrink, such as bulky cottons Protect against sunlight with lining or other shading devices. Remove hooks, rings and trims before cleaning. Gently vacuum regularly with appropriate attachment. Do not wash. Use warm iron.

Dry cleanable © 50. Possible shrinkage 3%.

For use on acrylic foam backed fabrics, flock coated fabrics and thermal coated fabrics of both man-made fibres and cotton. Regular care will minimise the need for additional cleaning. Gently vacuum regularly with appropriate attachment. Always exercise caution when spot cleaning. Test clean on non-exposed surface. Avoid excessive rubbing and abrasion.

Do not dry clean ⊗. Possible shrinkage 3%.



HEAD OFFICE AND FACTORY

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

SHOWROOMS

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Melbourne 439 Warrigal Road, Moorabbin VIC 3189

Brisbane Unit 1, 48 Kingston Road, Underwood QLD 4119

Newcastle 414 Pacific Highway, Belmont NSW 2280

Canberra Unit 1, 6 Wiluna Street, Fyshwick ACT 2609

Port Macquarie 6/1 Blackbutt Road, Port Macquarie NSW 2444

Coffs Harbour 3/12 Isles Drive, North Boambee Valley NSW 2450

Wollongong 210 Princes Highway, Albion Park Rail NSW 2527

Tamworth Shop 3, 164 Peel Street, Tamworth NSW 2340

MOBILE SHOWROOMS

Albury, Armidale, Ballina, Dubbo, Gold Coast, Orange, Snowy Mountains, Sunshine Coast, Wagga Wagga

Call us 132 899 Visit apolloblinds.com.au Email sales@apolloblinds.com.au















