



SMART GUIDE OUTDOOR BLINDS





SMART GUIDE OUTDOOR BLINDS

Pull down and push up or motorise! It's that EASY to protect yourself from the elements with Smart Guide track guided blind system.

Specially designed tracks on both sides of the blind enable the fabric to glide smoothly and easily - stopping anywhere you want!

All Smart Guide blinds come with a slimline hooded cassette for added protection and a stylish minimal look.

- One size cassette fits all, so no need to worry about matching hood sizes depending on the size of the blind.
- One size bottom rail strong enough to accommodate all widths.
- Simple trouble free robust bottom rail locks that are designed for all-weather.
- Fabric tube reducers to minimise the fabric from building up from the side zip, therefore ensuring the fabric rolls as symmetrically as possible.
- No visible side or bottom spline, offering a more pleasing aspect, unlike some other systems.
- Competitively priced due to its minimal components and uncomplicated locking system.
- Max width Motor 5200mm Max drop 3000mm(NOW AVAILABLE), Spring 3900mm Max drop 3000mm (COMING SOON)



**MANUFACTURED
IN AUSTRALIA**

SMART GUIDE OUTDOOR BLINDS

EASY-TO-USE

Smart Guide track guided blind system locks your blind fabric into special tracks using zip system, with no gaps at either side to secure against flapping.

Its quick and easy 'pull-down, push-up' action takes out all the hard work of regular blinds and leaves you with an elegant blind that enhances the look and feel of your home or business.

VERSATILE


Whatever the style of your residence or business, Smart Guide has a solution for you:

- Mesh PVC protects outdoor areas all year round from wind and rain
- Hi-tech solar screen fabric provides sun and UV protection
- A large range of quality fabrics that guarantee strength and wind resistance
- Spring or motorised operation
- Choice of Smart Guide powder coated colours gives added protection and a premium look.



SMART GUIDE OUTDOOR BLINDS OPTIONS

MOTORISATION FOR SMART GUIDE



MOTORISATION

Apollo's MaxiSMART™, motorisation hub allows our Smart Guide outdoor blinds to be operated at the touch of a button, a tap on your mobile device, or simply the sound of your voice, when integrated with the world's most popular automation devices like Google® Home or Amazon® Alexa.

Not only can you program your outdoor blinds to automatically operate, you can also control them while you're away from home using your smart device.

MaxiSMART™ 240V OUTDOOR BLINDS MOTOR

A-40/15 RTS 240V MOTOR

- 240volt Motor
- **R**adio **T**echnology **S**ystem (RTS) operated via any MaxiSMART™ remote
- 21sqm Max outdoor blind
- Electrician Required
- 250mm Black Motor to Molex Cable supplied with Black External Molex
- Longer lifespan compared to a battery motor

SPECIFICATIONS

- Rated Torque: 40 N.m
- Rated Speed: 15RPM
- Rated Current: 0.99
- Rated Power: 228W
- Emission Frequency: 433.925MHz




SMART GUIDE OUTDOOR BLINDS OPTIONS

MOTORISATION FOR SMART GUIDE

MaxiSMART™ REMOTES


WALL MOUNTED 1 CHANNEL

- Frequency: 433.92 MHz
- Radio range: Up to 100 metres without obstructions (walls etc)
- RTS remote mounted to wall
- Available in White only



1 CHANNEL


- Frequency: 433.92 MHz
- Radio range: Up to 100 metres without obstructions (walls etc)
- Includes Magnetic wall holder
- Available in White only



5 CHANNEL WITH TIMER


- Up to 5 blinds operated individually or altogether as a group
- Regular timer mode
- Random/vacation timer mode
- Manual timer mode
- Frequency: 433.92 MHz
- Radio range: Up to 100 metres without obstructions (walls etc)
- No Hub required
- Includes Magnetic wall holder
- Available in White only

** Please be mindful that when using the timer function or app away from home that there is no obstruction in the way of your blind or outdoor blinds.*



15 CHANNEL

- Up to 15 blinds operated individually or altogether as a group
- Frequency: 433.92 MHz
- Radio range: Up to 100 metres without obstructions (walls etc)
- Includes Magnetic wall holder
- Available in White only



All MaxiSMART™ remotes are compatible with all MaxiSMART™ motors including 240v, Lithium battery, roller blinds and outdoor blinds motors.

SMART GUIDE OUTDOOR BLINDS OPTIONS

MOTORISATION FOR SMART GUIDE

MaxiSMART™ WI-FI BRIDGE

Wi-Fi bridge is a Wi-Fi to Rf bi-directional controller with integrated RS485 interface. It builds a connection via user's Wi-Fi router at home and enables user to control motorised window covering and sun shading products with designated smartphone applications and interaction with ecosystem such as Amazon® Alexa, Google Assistant, etc., via cloud API. The RS485 interface offers additional integration option into the third party home automation systems.

Note: Apollo Blinds installer does not set up the Wi-Fi Bridge due to privacy concerns as you will need to create your own account and password.



MaxiSMART™ WI-FI BRIDGE

W:75mm D:130mm H:35mm

VOICE ACTIVATION

Voice Activation is available with Google® Home, Amazon® Alexa or Siri on your iPhone once a Wi-Fi Bridge has been purchased and installed.

Set up instructions are available in the Connector App



* Please be mindful that when using the timer function or app away from home that there is no obstruction in the way of your blind or outdoor blind.



Google Home



Max. 30 motors



Max. 20 scenes



Max. 20 timers



Max. 20 rooms

SMART GUIDE OUTDOOR BLINDS

CARE & CLEANING

PERIODIC CLEANING & STAINS

Keep the fabric clean by brushing both the top and underside with a soft brush. Hosing occasionally on a hot day with cold water will minimise the development of algae, mildew and fungi by removing dust and grime.

Awnings should not be rolled away wet. However if bad weather requires them to be rolled away wet, roll them back out as soon as possible to prevent mould build up.

Occasionally extend the Awning fully down to even out the material, particularly if the Awning is usually set in one position.

Do not allow dirt, plants or bird droppings to remain in contact with the fabric.

Do not apply detergents, cleaning fluids or insecticides.

Clean thoroughly with a non-abrasive household cleaner and rinse immediately with clean water and dry thoroughly.

CARE








We recommend the Beaufort wind scale table (refer to diagram on the right) in conditions of 5 (Fresh) and above that your blinds should be retracted or rolled up.

Wind speeds of up to 38 km/hour (Fresh) small trees move and sway, flags would be extended. Gusty wind conditions are always hard to predict so if in doubt, retract your blinds.

You may find spring- operated blinds harder to operate during windy conditions due to the pressure of the wind on the blind material. Use your hand to push against the blind material to reduce this pressure and then operate the blind.

We recommend for normal use that your spring operated blind blinds should be left down and locked, or fully retracted, half way can be used during calm weather days.

Care must be taken when operating motorised blinds in windy conditions, They must be supervised whilst raising and lowering at all times.

Description	Mean Wind Speed	Appearance of Wind Effects		
		On a Tree	On Land	
Calm	< 1 knot < 1 km/h	Still	Smoke rises vertically	
Light Air	1 – 3 knots 1 – 5 km/h		Smoke drifts, wind vanes are still	
Light	4 – 6 knots 6 – 11 km/h	Leaves rustle	Wind felt on face, vanes begin to move	
Gentle	7 – 10 knots 12 – 19 km/h	Leaves and small twigs move	Flags flap	
Moderate	11 – 16 knots 20 – 28 km/h	Small branches move	Dust and loose paper lifted	
Fresh	17 – 21 knots 29 – 38 km/h	Small trees in leaf begin to sway	Flags fully extended	
Strong	22 – 27 knots 38 – 49 km/h	Larger branches shake	Whistling in wires, umbrellas become difficult to use	

Let Apollo Blinds open your mind to new decorator ideas. Since 1988 Apollo Blinds has focused on delivering the latest in home fashions with consistent reliable service. An Australian owned company with most products still being manufactured in Australia, Apollo Blinds gives you peace of mind – all fabrics and components come with a 2 year warranty (1 year in home) on manufacture and materials. Some materials or components may carry additional manufacturer's warranty.

HEAD OFFICE AND FACTORY

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

SHOWROOMS

Sydney 172 Silverwater Road, (Corner Holker St) Silverwater NSW 2128

Melbourne 439 Warrigal Road, Moorabbin VIC 3189

Brisbane Unit 1, 48 Kingston Road, Underwood QLD 4119

Newcastle 414 Pacific Highway, Belmont NSW 2280

Canberra Unit 1, 6 Wiluna Street, Fyshwick ACT 2609

Port Macquarie 6/1 Blackbutt Road, Port Macquarie NSW 2444

Coffs Harbour 3/12 Isles Drive, North Boambee Valley NSW 2450

Tamworth 170 Peel Street, North Tamworth NSW 2340

Armidale 171 Rusden Street, Armidale NSW 2350

Wagga Wagga 5 Pearson Street, Wagga Wagga NSW 2650

MOBILE SHOWROOMS

Albury, Ballina, Dubbo, Gold Coast, Orange, Snowy Mountains, Sunshine Coast, Wollongong

Call us **132 899** Visit apolloblinds.com.au Email sales@apolloblinds.com.au



Interest free installments available to approved customers. See website for details.



BLINDS • Awnings • Shutters
ASSOCIATION OF AUSTRALIA



SENIORS CARD

